

Attorney's Docket 541406-0321057

Client Reference: NP-2125-US-B

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

LIANG-HUA YEH

Confirmation Number: 8476

Group Art Unit: 2629

Application No.: 10/825,650

Examiner: Holton, Steven E. Filed: April 16, 2004

METHOD AND SYSTEM FOR REDUCING RESIDUAL IMAGE EFFECT OF

LIQUID CRYSTAL DISPLAY AFTER TURNED OFF

Commissioner for Patents P.O. Box 1450 **Alexandria, VA 22313-1450**

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS									
	REMAINING	HIG	HEST NO.							
	AFTER PREVIOUSLY PRESENT							ADDIT.		
	AMENDMENT PAID FOR			EXTRA		RATE		FEE		
				i		X				
TOTAL	17		20	=	0	\$	=	\$		
				i t		X				
INDEP.	3		3	= ,	0	\$	=	\$		
FIRST PRESENTATION OF MULTIPLE DEP. +										
CLAIM						\$\$		\$	0.00	
				!						
TOTAL ADDITIONAL CLAIM FEE							FEE	\$		
						GRAND TO	TAL	\$	0.00	
				1						

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: 4/24/07
PILLSBURY WINTHROP SHAW PITTMAN LLP
P.O. Box 10500
McLean, VA 22102
703 770.7788

Phrase por (54924)

E. R. HERNANDEZ Reg. No. 47641



Attorney Docket: 541406-0321057 Client Reference: NP-2125-US-B

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of: LIANG-

HUA YEH

Application No.: 10/825,650

Filed: April 16, 2004

Confirmation Number: 8476

Group Art Unit: 2629

Examiner: Holton, Steven E.

Title: METHOD AND SYSTEM FOR REDUCING RESIDUAL IMAGE EFFECT OF

LIQUID CRYSTAL DISPLAY AFTER TURNED OFF

AMENDMENT

Mail Stop Non-Fee Amendments Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated January 24, 2007, please amend the aboveidentified application as follows: